

標準製品



CH-II

a-300

a-400

a-500

a-600






呼び名	参考質量 (Kg)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	R
300×300	365	500	445	300	300	95	45	65	360
400	420		545		400				
500	475		645		500				
600	575		745		600				
700	645		845		700				
800	715		945		800				
900	885		1045		900				
1000	965		1145		1000				
1100	1045		1245		1100			80	

呼び名	参考質量 (Kg)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	R
400×400	505	610	560	400	400	110	50	70	470
500	565		660		500				
600	615		760		600				
700	740		860		700				
800	815		960		800				
900	885		1060		900				
1000	1075		1160		1000				
1100	1160		1260		1100				
1200	1245		1360		1200			85	

呼び名	参考質量 (K g)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	R
500×400	565	720	575	500	400	125	55	55	600
500	620		675		500				
600	725		775		600				
700	790		875		700				
800	860		975		800				
900	1035		1075		900				
1000	1115		1175		1000				
1100	1200		1275		1100				
1200	1425		1375		1200				
1300	1520		1475		1300				
1400	1615		1575		1400			95	

呼び名	参考質量 (K g)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	R
600×400	670	830	590	600	400	140	60	60	730
500	730		690		500				
600	790		790		600				
700	910		890		700				
800	980		990		800				
900	1055		1090		900				
1000	1245		1190		1000				
1100	1330		1290		1100				
1200	1420		1390		1200				
1300	1665		1490		1300				
1400	1765		1590		1400				
1500	1870		1690		1500				

a-700
a-800
a-900
a-1000








呼び名	参考質量 (Kg)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	e1
700×500	915	900	700	700	500	150	60	80	20
600	995		800		600				
700	1070		900		700				
800	1145		1000		800				
900	1225		1100		900				
1000	1305		1200		1000				
1100	1385		1300		1100				
1200	1475		1400		1200				
1300	1755		1500		1300			100	—
1400	1855		1600		1400				
1500	1985		1700		1500				
1600	2095		1800		1600				
1700	2195		1900		1700				

呼び名	参考質量 (Kg)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	e1
900×700	1280	1120	920	900	700	170	60	85	25
800	1365		1020		800				
900	1445		1120		900				
1000	1530		1220		1000				
1100	1615		1320		1100				
1200	1705		1420		1200				
1300	1795		1520		1300				
1400	2150		1620		1400			110	—
1500	2260		1720		1500				
1600	2385		1820		1600				
1700	2520		1920		1700				
1800	2635		2020		1800				
1900	2755		2120		1900				

呼び名	参考質量 (Kg)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	e1
800×600	1105	1010	810	800	600	160	60	85	20
700	1185		910		700				
800	1265		1010		800				
900	1350		1110		900				
1000	1435		1210		1000				
1100	1520		1310		1100				
1200	1610		1410		1200				
1300	1695		1510		1300			105	—
1400	2000		1610		1400				
1500	2105		1710		1500				
1600	2240		1810		1600				
1700	2360		1910		1700				
1800	2475		2010		1800				

呼び名	参考質量 (Kg)	各部の寸法(mm)							
		B	H	a	c	c1	d	e	e1
1000×800	1490	1220	1030	1000	800	180	60	90	20
900	1575		1130		900				
1000	1660		1230		1000				
1100	1750		1330		1100				
1200	1835		1430		1200				
1300	1935		1530		1300				
1400	2250		1630		1400			110	—
1500	2355		1730		1500				
1600	2495		1830		1600				
1700	2615		1930		1700				
1800	2740		2030		1800				
1900	2845		2130		1900				
2000	2975		2230		2000				



■車道用

呼び名	参考質量 (Kg)	各部の寸法(mm)		
		a	a1	T
300	42	400	320	95
400	62	500	416	110
500	84	600	515	125
600	110	700	614	140

■車道用

呼び名	参考質量 (Kg)	各部の寸法(mm)		
		a	a1	T
700	131	770	750	150
800	159	880	860	160
900	190	990	970	170
1000	222	1090	1070	180

■歩道用


呼び名	参考質量 (Kg)	各部の寸法(mm)			
		a	a1	T	T'
300	32	400	320	95	60
400	45	500	416	110	70
500	59	600	515	125	75
600	76	700	614	140	85

■歩道用


呼び名	参考質量 (Kg)	各部の寸法(mm)			
		a	a1	T	T'
700	100	770	750	150	105
800	127	880	860	160	120
900	158	990	970	170	135
1000	185	1090	1070	180	145

グレーチング
CH-II



縦断用
横断用



＜縦断用＞



＜横断用＞



呼び名			各部の寸法(mm)			質量(K g)
			A	L	T	
車道用	縦断用 (1m用)	300	398	995	50	39
		400	498	995	65	54
		500	598	995	90	92
		600	698	995	100	116
		700	770	990	130	87
		800	880	990	130	104
		900	990	990	150	119
		1000	1090	990	150	134
	縦断用 (0.5m用)	300	398	501	50	20
		400	498	501	65	28
		500	598	501	90	47
		600	698	501	100	60
		700	770	490	130	50
		800	880	490	130	56
		900	990	490	150	69
		1000	1090	490	150	77
	横断用	300	400	995	55	35
		400	500	995	65	47
		500	600	995	75	64
		600	700	995	90	100

呼び名			各部の寸法(mm)			質量(K g)
			A	L	T	
歩道用	縦断用 (1m用)	300	398	995	38	31
		400	498	995	44	40
		500	598	995	50	56
		600	698	995	55	67
		700	770	990	60	75
		800	880	990	65	87
		900	990	990	75	108
		1000	1090	990	75	117
	縦断用 (0.5m用)	300	398	495	38	16
		400	498	495	44	21
		500	598	501	50	29
		600	698	501	55	34
		700	770	490	60	38
		800	880	490	65	44
		900	990	490	75	55
		1000	1090	490	65	60

※製品改良のため、形状など仕様を変更する場合がありますので予めご了承ください。
また、細目タイプ、流雪溝タイプについては係員にご相談ください。